

## CALGAS Series Gas Calibration Kit

### Calibration Gas Kit CALKITHW-UL

- Includes case to hold two cylinders
- Regulator, Stainless Steel, 0.5 LPM, Inlet CGA: C-10/SS, Inlet Gauge: 0-1200, 3/16" Hose Barb
- Tygon Tubing (2X3')
- Gas Shroud (CALSHROUD-UL: calibration of NO<sub>2</sub>, H<sub>2</sub>S, NH<sub>3</sub>, O<sub>3</sub>, and MOS)\*
- Order gas cylinders separately



### Calibration Gas Kit CALKITHW-CO

- Includes case to hold two cylinders
- Regulator, Stainless Steel, 0.5 LPM, Inlet CGA: C-10/SS, Inlet Gauge: 0-1200, 3/16" Hose Barb
- Tygon Tubing (2X3')
- Gas Shroud (CALSHROUD-TG0R for TG0R series sensors)
- Gas Shroud (CALSHROUD-AQ2 for AQ2 series sensors)
- Gas Shroud (CALSHROUD-TGR for TGR series sensors)
- Gas Shroud (CALSHROUD-CO for CO in TGx series)
- Order gas cylinders separately

### Calibration Gas Kit CALKITHW-CAT

- Includes case to hold two cylinders
- Regulator, Stainless Steel, 0.5 LPM, Inlet CGA: C-10/SS, Inlet Gauge: 0-1200, 3/16" Hose Barb
- Tygon Tubing (2X3')
- Gas Shroud (CALSHROUD-TGCAT: calibration of catalytics: CH<sub>4</sub>, C<sub>3</sub>H<sub>8</sub>, H<sub>2</sub>)
- Order gas cylinders separately

#### DESCRIPTION

All gas monitors must be calibrated on a regular basis. Readily verify sensor calibration and adjust as appropriate. Rugged case for ease of transport and deployment.

#### APPLICATIONS

- Quick and accurate calibration or commissioning verification



CALGAS-XXXX Test Gas Cylinders

**FEATURES**

- Available for all available TG sensors
- Factory calibrated
- CO and NO2 sensors include calibration certificate
- Save time and money on annual calibration

**ORDERING**

**Universal Gas Kits**

CALKITHW-

**Kit Includes**

- UL = For TGW/M/D Series. Includes a case to hold two cylinders, a stainless steel regulator (0.5 LPM, Inlet CGA: C-10/SS, Inlet Gauge: 0-1200, 3/16" Hose Barb), 1 length of Tygon Tubing (2X3'), CALSHROUD-TGUL. Gas cylinders not included.\*
- CO= For TGW/M/D/R/OR Series & AQ2 Series. Includes 4 gas schrouds: CALSHROUD-CO, CALSHROUD-AQ2, CALSHROUD-TGR, and CALSHROUD-TG0R
- CAT= For TGW/M/D Series Series. Includes a case to hold two cylinders, a stainless steel regulator (0.5LPM, Inlet CGA: C-10 SS, Inlet Gauge: 0-1200, 3/16" Hose Barb), 1 length of Tygon Tubing (2X3'), CALSHROUD-TGCAT. Gas cylinders not included.\*

\*Order gas cylinders separately using part numbers from table below.

**Gas Cylinders for Universal Gas Kits**


CALGAS-

**Gas Options**

- FNO2= A29L 10ppm NO2, Valve CGA: C-10, 500PSI, Balance Nitrogen
- ZNO2= A58L 10ppm NO2, Valve CGA: C-10, 500PSI, Balance Nitrogen
- UNO2= A116L 10ppm NO2, Valve CGA: C-10, 1000PSI, Balance Nitrogen
- JCO= 103L 100ppm CO, Valve CGA: C-10, 1000PSI, Balance Air
- JCO2= 103L 100ppm CO2, Valve CGA: C-10, 1000PSI, Balance Nitrogen
- JC3H8= 103L 1.05% (50% LEL) PROPANE C-10Valve, 1000PSI, Balance Air
- JCH4= 103L 2.50% (50% LEL) METHANE C-10Valve, 1000PSI, Balance Air
- JH2= 103L 2.00% (50% LEL) HYDROGEN C-10Valve, 1000PSI, Balance Air
- JO2= 103L 20.90% OXYGEN C-10Valve, 1000PSI, Balance Air
- JR134A= 103L 1000 PPM R-134A C-10Valve, 1000PSI, Balance Air
- J404A= 103L 1000 PPM R-404A C-10Valve, 1000PSI, Balance Air
- J410A= 103L 1000 PPM R-410A C-10Valve, 1000PSI, Balance Air
- JR22= 103L 1000 PPM R-22 C-10Valve, 1000PSI, Balance Air
- JR407C= 103L 1000 PPM R-407C C-10Valve, 1000PSI, Balance Air
- JCO2= 103L 100ppm CO2, Valve CGA: C-10, 1000PSI, Balance Nitrogen

## DIMENSIONS

Overall Dimensions: 11" x 9" x 4" -- 9 LBS

 **Warning:** The datasheet is designed for reference only. Refer to installation instructions that accompany the product and heed all safety instructions. Product improvement is a continuing process at Senva. Changes may occur to products without prior notice.

SPECIFICATIONS

Shelf life of gas canisters	CO	3 years
	NO2	1 year
	CO2	3 years
	Combustibles:	3 years
	C3H8	
	CH2	
	H2	
	O2	
Refrigerants	3 years	

\* Product improvement is a continual process at Senva and product features and specification may change without prior notice. Refer to instructions that accompany the product for installation and wiring.